

FIG. 1A





FIG. 1B

09085697 062104  
TOT290 28998860



200

**FIG. 1C**

```

graph TD
    310[Receiver for receiving AssetPulse from a client] --> 320[Detector for detecting inventory data associated with target device]
    320 --> 330[transmitter for transmitting to a host an inventory-data message including detected inventory data]
  
```

310

Receiver for receiving AssetPulse from a client

320

Detector for detecting inventory data associated with target device

330

transmitter for transmitting to a host an inventory-data message including detected inventory data

300

**FIG. 1D**


```
graph TD; 50[Client establishes membership with host unit] --> 52[Client creates an account with host unit]; 52 --> 54{Groups required?}; 54 -- Yes --> 56[Client creates group specific accounts that correspond to group lists in client's MHS]; 54 -- No --> 58{Permission-based guest access?}; 56 --> 58; 58 -- Yes --> 60[Generate guest list from client membership and designate permissions]; 58 -- No --> 62([Account creation completed]); 60 --> 62;
```


The flowchart illustrates the account creation process. It begins with step 50, "Client establishes membership with host unit", which leads to step 52, "Client creates an account with host unit". From step 52, the process reaches decision point 54, "Groups required?". If the answer is "Yes", the process moves to step 56, "Client creates group specific accounts that correspond to group lists in client's MHS". If the answer is "No", it proceeds to decision point 58, "Permission-based guest access?". Step 56 also leads to decision point 58. From decision point 58, if the answer is "Yes", the process moves to step 60, "Generate guest list from client membership and designate permissions". If the answer is "No", it proceeds to step 62, "Account creation completed". Step 60 also leads to step 62.

**FIG. 2**

000000 23593860

FIG. 3A





166

168

170

**FIG. 3C**